## Advances in Climate Modeling with High Performance Computing

# Sandia National Laboratories Computers, Computation, Informatics and Mathematics Center Exploratory Simulation Technologies Department

#### **Bill Spotz**

U. Texas (PhD '95) NCAR ('96-'01)

- ASP, SCD

Sandia ('01-present)

#### **Mark Taylor**

NYU Courant (PhD '92)

NCAR ('92-'98)

- CGD, SCD

Los Alamos ('98-'04)

Sandia ('04-present)





## The Community Climate System Model

Community Climate
 System Model (CCSM)


Managed by NCAR

 Funding sources include DOE (SciDAC)

 Atmosphere model is most computationally intense

 Community Atmospheric Model (CAM):


- Spectral Transform
- Finite Volume
- Spectral Element?







## Spectral Element Atmospheric Model (SEAM)



- Spectral elements replace spherical harmonics in horizontal directions
- Coupled to the Community Atmospheric Model (CAM)
- High order (p=8) finite element method with efficient Gauss-Lobatto quadrature used to invert the mass matrix.
- Two dimensional domain decomposition: each processor contains one or more elements and the vertical columns of data associated with those elements.






## **A Brief History**

- SEAM was developed at NCAR/CGD by Taylor and Tribbia, based on Spectral Element Ocean Model by Haidvogel and Iskandarani
- Taylor left NCAR for LANL
- Tribbia continued work on SEAM with Fournier and Zhun
- Loft and Thomas of NCAR/SCD developed new spectral element model (SEAM2, later HOMME)
- Spotz at Sandia initiated collaboration with NCAR to advance HOMME, specifically high-performance computing
- NCAR/HOMME developers expanded to Nair, St.-Cyr, Dennis, Edwards
- Sandia hired Taylor to work on HOMME collaboration





## **Atmospheric Dynamical Cores**





#### Features of SEAM/HOMME

- Accuracy: can achieve same accuracy as spherical harmonic models.
- High order representation allows for high order scale selective dissipation (like hyper viscosity used in S.H.)
- Unstructured Grid: Can handle AMR
- Unstructured Grid: No pole problem, so excellent parallel scalability
- Unstructured Grid: New challenges for existing physics parameterizations?
- Local Conservation: Less oscillatory than S.H., but does not have exact local conservation (DG?)





## Goal: Demonstrate Global 10km Capability on Massively Parallel Computers

#### DOE SCaLeS Report

 "An important long-term objective of climate modeling is to have the spatial resolution of the atmospheric and oceanic components both at ~1/10° (~ 10 km resolution at the Equator)."


#### Atmospheric Model

- At 10km, the atmosphere will be the dominant component of a coupled model.
- 10km is necessary to resolve regional detail of temperature and precipitation important for local and social impacts of climate change
- 10km dynamics for improved tracer advection, with physics at lower resolution
- Many forecast models use 10km regional resolution and hydrostatic equations: could replace with a single global forecast model.






## **HOMME** on Red Storm







Max: 4TF

Projected: 6TF

Performance of 4 fixed problem sizes, on up to 6K CPUs. The annotation gives the mean grid spacing at the equator (in km) and the number of vertical levels used for each problem.






### **HOMME** on **BG/L**







Max: 4TF

Performance of 4 fixed problem sizes, on up to 64K CPUs. The annotation gives the mean grid spacing at the equator (in km) and the number of vertical levels used for each problem.






## **Integration Rates**

#### Atmosphere For Earth Simulator (AFES)


- Global spectral model (spherical harmonics: Legendre transforms, all-to-all transpositions)
- Full physics
- 10km (24TF) 57 simulated days/day

#### Red Storm (SEAM)

- Spectral elements: local computations and communications
- Aquaplanet (reduced physics)
- 40km (3TF) 7-30 simulated years/day
- 10km (5TF) 32-128 simulated days/day












## **SEAM Split Semi-Implicit Acceleration**








#### **Red Storm Demonstration Run**


- Polar vortex problem: Demonstrate break-up of circumpolar jet over the north pole
- Numerical Statistics
  - 13km grid spacing, 300 levels in the vertical (1 billion grid points)
  - Integrated for 288,000 time steps using 7200 CPUs for 36 hours
  - Produced 1TB of data





## **Polar Vortex on Red Storm**










## **Red Storm Demonstration Run**



Isosurface and contours of potential vorticity over north pole

